

Safety Data Sheet
acc. to *SOR/2015-17* and *OSHA 29 CFR Parts 1910, 1915,*
1926

1 Identification

- **Product identifier**
 - Trade name: ***Biomor Heavy Duty Drain Maintainer***
 - **Article number:** 2271277001, 2271332001, 2271390001
 - **Recommended use** Drain maintainer
 - **Restrictions on use**
All other uses than those indicated on the product label and technical data sheet.
- **Details of the supplier of the safety data sheet**
 - **Manufacturer:**
Avmor Ltd.
950, Michelin
Laval, QC,
Canada
H7L 5C1
1-800-387-8074
www.avmor.com
info@avmor.com
 - **Client Identification Number** 119100
 - **Emergency telephone number:** CANUTEC 1-613-996-6666

2 Hazard(s) identification

- **Classification of the product:**



Eye Dam. 1 H318 Causes serious eye damage.



Skin Irrit. 2 H315 Causes skin irritation.

- **Label elements**

- **Hazard pictograms:**



GHS05

- **Signal word:** Danger
- **Hazard-determining components of labeling:**
Alkyl(C10-16)benzenesulfonic acid
Alcohols, C9-C11, ethoxylated
- **Hazard statements:**
H315 Causes skin irritation.
H318 Causes serious eye damage.

(Contd. on page 2)

Safety Data Sheet
*acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,
 1926*

Trade name: ***Biomor Heavy Duty Drain Maintainer***

(Contd. of page 1)

· **Precautionary statements**

- P280 Wear protective gloves and eye or face protection.
- P273 Avoid release to the environment.
- P264 Wash thoroughly after handling.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center or a doctor.
- P302+P352 If on skin: Wash with plenty of water.
- P332+P313 If skin irritation occurs: Get medical attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 1
 Fire = 0
 Reactivity = 0

· **Hazard not otherwise classified** None

· **Notes:** For the wording of the listed abbreviations refer to section 16.

3 Composition/information on ingredients

· **Dangerous components:**

C A S
 (% w/w)

C o m p o n e n t

68584-22-5	Alkyl(C10-16)benzenesulfonic acid	3-<10%
68439-46-3	Alcohols, C9-C11, ethoxylated	1-≤2.5%
68131-39-5	Alcohols, C12-15, ethoxylated	0.3-<1%

4 First-aid measures

· **General information:**

· **After inhalation:**

In case of unconsciousness place patient stably in side position for transportation. Get medical attention.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. Remove contact lenses, if present and easy to do so. Continue rinsing for a minimum of 15 to 60 minutes. Then consult a doctor.

· **After ingestion:** If symptoms persist consult a doctor.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed**

Contact can cause pain, redness, burns, and even blistering. Burns may not be immediately painful; onset of pain may be delayed minutes to hours. Permanent damage including blindness can result after prolonged contact with eyes.

CA

(Contd. on page 3)

Safety Data Sheet
*acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,
1926*

Trade name: ***Biomor Heavy Duty Drain Maintainer***

(Contd. of page 2)

5 Fire-fighting measures

- **Suitable extinguishing media**
- **Suitable extinguishing media**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Specific hazards arising from the product**
In case of accidental fire and extreme heat conditions, the following gaseous products can be released after water evaporation: hydrocarbons, carbon monoxides and dioxides (CO_x) and nitrogen dioxide (NO_x).
- **Advice for firefighters**
 - **Special protective equipment and precautions for fire-fighters** No special measures required.
- **Additional information** This product is not flammable.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear recommended protective equipment(s). Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Surround and absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.

7 Handling and storage

- **Handling:**
 - **Precautions for safe handling**
Ensure good ventilation at the workplace.
Prevent formation of aerosols.
- **Conditions for safe storage, including any incompatibilities**
 - **Requirements to be met by storerooms and receptacles:** No special requirements.
 - **Information about storage in one common storage facility:** Not required.
 - **Conditions for safe storage, including any incompatibilities** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Appropriate engineering controls** Ensure appropriate aeration and ventilation.
- **Control parameters**
 - **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
 - **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Safety Data Sheet
acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,
1926

Trade name: ***Biomor Heavy Duty Drain Maintainer***

(Contd. of page 3)

- Exposure controls
- Personal protective equipment:



Tightly sealed goggles



Protective gloves

- **General protective and hygienic measures:**
Avoid contact with the eyes and skin.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Keep away from foodstuffs, beverages and feed.
- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves
- **Eye protection:** Tightly sealed goggles
- **Body protection:** Protective work clothing

9 Physical and chemical properties

- Information on basic physical and chemical properties

- General Information

- Appearance:

- Form: Viscous Liquid
- Colour: Blue

- Odour: Odourless.

- Odour threshold: Not determined.

- pH-value at 25 °C: 7.0-9.0

- Change in condition

- Melting point/Melting range: Undetermined.

- Boiling point/Boiling range: 100 °C

- Flash point: Not determined.

- Flammability (solid, gaseous): Not applicable.

- Ignition temperature: Not determined.

- Decomposition temperature: Not determined.

- Auto igniting: Product is not selfigniting.

- Danger of explosion: Product does not present an explosion hazard.

- Explosion limits:

- Lower: Not determined.

(Contd. on page 5)

Safety Data Sheet
acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,
1926

Trade name: ***Biomor Heavy Duty Drain Maintainer***

(Contd. of page 4)

· Upper:	Not determined.
· Vapour pressure at 20 °C:	23 hPa
· Density at 25 °C:	1.000-1.010 g/cm ³
· Relative density	Not determined.
· Vapour density (air=1)	<1 (aqueous solution)
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Fully miscible.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
· Dynamic:	Not determined.
· Solvent content:	
· Organic solvents:	0.0 %

10 Stability and reactivity

- **Reactivity** Not determined.
- **Chemical stability**
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** Avoid freezing and extreme heat conditions.
- **Incompatible materials:** This product may react with strong oxidizing agents.
- **Hazardous decomposition products:**
In case of decomposition: carbon monoxide and carbon dioxide and traces of volatile halogenated compounds.

11 Toxicological information

- **Information on the likely routes of exposure** Skin and eyes contact
- **Acute toxicity:**
 - **Numerical measures of toxicity**

· Components Mean of exposure	Type	Value (Species)
ATE (Acute Toxicity Estimates)		
Oral	LD50	2833 mg/kg
Dermal	LD50	100000 mg/kg
Inhalative	LC50 (4 h)	320 mg/L (rat)
68131-39-5 Alcohols, C12-15, ethoxylated		
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
Inhalative	LC50 (4 h)	>1.6 mg/L (rat)

(Contd. on page 6)

Safety Data Sheet
*acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,
 1926*

Trade name: ***Biomor Heavy Duty Drain Maintainer***

(Contd. of page 5)

Irritation of skin	OECD guideline 404	Not classified. (rabbit)
Irritation of eyes	OECD, guideline 405	cat. 1 (rabbit)
Sensitization	OECD, guideline 406	Not classified. (guinea pig)

· **Symptomes related to the physical, chemical and toxicological characteristics**

· **by inhalation:**

Vapours may cause irritation to the airways. Inhalation of larger amounts may induce discomfort, nausea, dizziness, headache, narcosis, and unconsciousness.

· **If on the skin:** Irritant to skin and mucous membranes.

· **If on the eye:** Strong irritant with the danger of severe eye injury.

· **after ingestion:** May cause irritation of the gastrointestinal tract, nausea, vomiting and headache.

· **Sensitization:** No sensitizing effects known.

· **Delayed and immediate effects, and chronic effects from short-term and long-term exposure**

Prolonged or frequent contact can cause eczema and inflammation of the skins as a results of degreasing.

· **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
7664-93-9	Sulfuric acid	1
3844-45-9	Colorant acide triarylmethane	3
· NTP (National Toxicology Program)		
7664-93-9	Sulfuric acid	K

12 Ecological information

· **Toxicity**

· **Aquatic toxicity:**

68131-39-5 Alcohols, C12-15, ethoxylated

EC50 (48 h, OECD guideline 202)	0.23 mg/L (daphnia magna [water flea])
EC50 (72 h, OECD guideline 201) (static)	0.75 mg/L (pseudokirchnerella subcapitata)
LC50 (96 h, OECD guideline 203)	1.3-1.7 mg/L (oncorhynchus mykiss [rainbow trout])
NOEC (21 d, ASTM 1988)	0.77 mg/L (daphnia magna [water flea])
NOEC (30 d, OECD directive 204) (dynamic)	0.11-0.28 mg/L (pimephales promelas [fathead minnow])

· **Persistence and degradability**

Organic compounds of this product are readily biodegradable according to the OECD Guideline 301.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** Does not accumulate in organisms

· **Mobility in soil** No further relevant information available.

· **Ecotoxicity** No relevant information available

· **General notes:**

Do not allow product to reach ground water, water course or sewage system.

(Contd. on page 7)

Safety Data Sheet
*acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,
 1926*

Trade name: ***Biomor Heavy Duty Drain Maintainer***

Danger to drinking water if even small quantities leak into the ground.

(Contd. of page 6)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system unless significantly diluted or neutralized.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water.

14 Transport information

· DOT, IMDG, IATA	Not regulated.
· UN proper shipping name · DOT	Not regulated.
· Transport hazard class(es) · Class	Not regulated.
· Packing group · DOT	Not regulated.
· Environmental hazards: · Marine pollutant:	No
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
· TLV (Threshold Limit Value established by ACGIH)	
7664-93-9	Sulfuric acid
	A2

(Contd. on page 8)

Safety Data Sheet
*acc. to SOR/2015-17 and OSHA 29 CFR Parts 1910, 1915,
1926*

Trade name: ***Biomor Heavy Duty Drain Maintainer***

(Contd. of page 7)

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of creation/last revision:** 05/22/2015

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

CA